Brain Research, 449 (1988) 408–410
Elsevier

Author Index

Basinger, S.F., see Wirsig-Weichmann, C.R., 116
Benedetti, I. and Mola, L., Survey of neuropeptide-like immunoreactivity in supramedullary neurons of *Coris julis* (L.), 373
Berger, A.J., see Dick, T.E., 201
Besharse, J.C., see Witkovsky, P., 332
Bisso, G.M., Diana, G., Fortuna, S., Meneguz, A. and Michalek, H., Change in the distribution of acetylcholinesterase molecular forms in frontoparietal cortex of the rat following nucleus basalis lesions with kainic acid, 391
Blaustein, J.D., see Williams, C.L., 403
Bliss, T.V.P., see Bramham, C.R., 352
Bondoux-Jahan, M. and Sebille, A., Electrophysiological study of conditioning lesion effects on rat sciatic nerve regeneration following either prior section or freeze. II. Blocking by prior tenotomy, 150
Borsini, F., see Maggi, C.A., 61
Bouldin, T.W., see Theoret, Y., 341
Bramham, C.R., Errington, M.L. and Bliss, T.V.P., Naloxone blocks the induction of long-term potentiation in the lateral but not in the medial perforant pathway in the anesthetized rat, 352
Brink, E.E., see Yates, B.J., 377

Consolo, S., Forloni, G.L., Ladinsky, H. and Palazzi, E., Enhancement of opioid cataleptic response by cortical frontal deafferentation or intrastriatal injection of NMDA-receptor antagonists, 97
Conte, B., see Maggi, C.A., 61
Crandall, J.E., see Sims, K.B., 192
Csernansky, J.G., Kerr, S., Pruthi, R. and Prosser, E.S., Mesolimbic dopamine receptor increases two weeks following hippocampal kindling, 357

De Deyn, P.P., Marescau, B. and McDonald, R.L., Effects of α-keto-δ-guanidinovaleric acid on inhibitory amino acid responses on mouse neurons in cell culture, 54
Diana, G., see Bisso, G.M., 391
Dick, T.E., Jodkowski, J.S., Viana, F. and Berger, A.J., Projections and terminations of single respiratory axons in the cervical spinal cord of cat, 201
Dietrichs, E., see Walberg, F., 47
Doležal, V. and Tuček, S., Acetylcholine and choline in rat adrenals and brain cortex prisms incubated at elevated concentrations of choline in the medium, 244
Dykes, R.W. and Lamour, Y., An electrophysiological laminar analysis of single somatosensory neurons in partially deafferented rat hindlimb granular cortex subsequent to transection of the sciatic nerve, 1
Dykes, R.W., see Lamour, Y., 18

Earnhardt, T.S., see Theoret, Y., 341
Errington, M.L., see Bramham, C.R., 352

Faull, R.L.M., see Gayer, N.S., 253
Feldman, M.L., see Hoeffding, V., 104
Field, P.M., see Seeley, P.J., 177
Fincher, A.S., see Frye, G.D., 71
Foote, S.L., see Lewis, D.A., 225
Forloni, G.L., see Consolo, S., 97
Fortuna, S., see Bisso, G.M., 391
Frye, G.D. and Fincher, A.S., Effect of ethanol on γ-vinyl GABA-induced GABA accumulation in the substantia nigra and on synaptosomal GABA content in six rat brain regions, 71
Fukai, K., see Fukuda, H., 157
Fukuda, H. and Fukai, K., Discharges of bulbar respiratory neurons during rhythmic straining evoked by activation of pelvic afferent fibers in dogs, 157
Fukuda, H., Hara, K., Nakamura, S., Kimura, H. and Kameyama, M., 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) enhances tryptophan hydroxylase activity in mouse striatum, but not in the frontal cortex, 399

Gayer, N.S. and Faull, R.L.M., Connections of the paraflocculus of the cerebellum with the superior colliculus in the rat brain, 253
Giuliani, S., see Maggi, C.A., 61
Gold, P.E., see Stone, W.S., 135
Goldstein, M., see Lewis, D.A., 225
Gollman, H.M. and Rudy, T.A., Comparative pyrogenic potency of endogenous prostanoids and of prostanoid-mimetics injected into the anterior hypothalamic/preoptic region of the cat, 281
Goodman, S.R., see Zagon, I.S., 80
Govoni, S., see Lucchi, L., 347

Hansen, A.J., see Nedergaard, M., 395
Hara, K., see Fukuda, H., 399
Harvey, J.A., Winsky, L., Schindler, C.W., McMaster, S.E. and Welsh, J.P., Asymmetric uptake of 2-deoxy-D-[^{14}C]glucose in the dorsal cochlear nucleus during Pavlovian conditioning in the rabbit, 213
Hoeffding, V. and Feldman, M.L., Degeneration in the cochlear nerve of the rat following cochlear lesions, 104
Hoffman, P.N., see Koo, E.H., 361

Inoue, K., see Inoue, Y., 271
Inoue, Y., Takahashi, S., Takayama, C., Inoue, K., Okano, H. and Mikoshiba, K., Central myelin in the first hybrid mice produced by intercrossing homozygotes of shiverer and myelin-deficient mutants, 271
Izumi, H. and Karita, K., Investigation of mechanisms of the flare and wheal reactions in human skin by band method, 328

Jodkowski, J.S., see Dick, T.E., 201

Kameyama, M., see Fukuda, H., 399
Karita, K., see Izumi, H., 328
Kasper, J., see Yates, B.J., 377
Kerr, S., see Csernansky, J.G., 357
Kimura, H., see Fukuda, H., 399
Koo, E.H., Hoffman, P.N. and Price, D.L., Levels of neurotransmitter and cytoskeletal protein mRNAs during nerve

Brain Research, 449 (1988) 408–410
Elsevier

Author Index

Basinger, S.F., see Wirsig-Weichmann, C.R., 116
Benedetti, I. and Mola, L., Survey of neuropeptide-like immunoreactivity in supramedullary neurons of *Coris julis* (L.), 373
Berger, A.J., see Dick, T.E., 201
Besharse, J.C., see Witkovsky, P., 332
Bisso, G.M., Diana, G., Fortuna, S., Meneguz, A. and Michalek, H., Change in the distribution of acetylcholinesterase molecular forms in frontoparietal cortex of the rat following nucleus basalis lesions with kainic acid, 391
Blaustein, J.D., see Williams, C.L., 403
Bliss, T.V.P., see Bramham, C.R., 352
Bondoux-Jahan, M. and Sebille, A., Electrophysiological study of conditioning lesion effects on rat sciatic nerve regeneration following either prior section or freeze. II. Blocking by prior tenotomy, 150
Borsini, F., see Maggi, C.A., 61
Bouldin, T.W., see Theoret, Y., 341
Bramham, C.R., Errington, M.L. and Bliss, T.V.P., Naloxone blocks the induction of long-term potentiation in the lateral but not in the medial perforant pathway in the anesthetized rat, 352
Brink, E.E., see Yates, B.J., 377

Consolo, S., Forloni, G.L., Ladinsky, H. and Palazzi, E., Enhancement of opioid cataleptic response by cortical frontal deafferentation or intrastriatal injection of NMDA-receptor antagonists, 97
Conte, B., see Maggi, C.A., 61
Crandall, J.E., see Sims, K.B., 192
Csernansky, J.G., Kerr, S., Pruthi, R. and Prosser, E.S., Mesolimbic dopamine receptor increases two weeks following hippocampal kindling, 357

De Deyn, P.P., Marescau, B. and McDonald, R.L., Effects of α-keto-δ-guanidinovaleric acid on inhibitory amino acid responses on mouse neurons in cell culture, 54
Diana, G., see Bisso, G.M., 391
Dick, T.E., Jodkowski, J.S., Viana, F. and Berger, A.J., Projections and terminations of single respiratory axons in the cervical spinal cord of cat, 201
Dietrichs, E., see Walberg, F., 47
Doležal, V. and Tuček, S., Acetylcholine and choline in rat adrenals and brain cortex prisms incubated at elevated concentrations of choline in the medium, 244
Dykes, R.W. and Lamour, Y., An electrophysiological laminar analysis of single somatosensory neurons in partially deafferented rat hindlimb granular cortex subsequent to transection of the sciatic nerve, 1
Dykes, R.W., see Lamour, Y., 18

Earnhardt, T.S., see Theoret, Y., 341
Errington, M.L., see Bramham, C.R., 352

Faull, R.L.M., see Gayer, N.S., 253
Feldman, M.L., see Hoeffding, V., 104
Field, P.M., see Seeley, P.J., 177
Fincher, A.S., see Frye, G.D., 71
Foote, S.L., see Lewis, D.A., 225
Forloni, G.L., see Consolo, S., 97
Fortuna, S., see Bisso, G.M., 391
Frye, G.D. and Fincher, A.S., Effect of ethanol on γ-vinyl GABA-induced GABA accumulation in the substantia nigra and on synaptosomal GABA content in six rat brain regions, 71
Fukai, K., see Fukuda, H., 157
Fukuda, H. and Fukai, K., Discharges of bulbar respiratory neurons during rhythmic straining evoked by activation of pelvic afferent fibers in dogs, 157
Fukuda, H., Hara, K., Nakamura, S., Kimura, H. and Kameyama, M., 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) enhances tryptophan hydroxylase activity in mouse striatum, but not in the frontal cortex, 399

Gayer, N.S. and Faull, R.L.M., Connections of the paraflocculus of the cerebellum with the superior colliculus in the rat brain, 253
Giuliani, S., see Maggi, C.A., 61
Gold, P.E., see Stone, W.S., 135
Goldstein, M., see Lewis, D.A., 225
Gollman, H.M. and Rudy, T.A., Comparative pyrogenic potency of endogenous prostanoids and of prostanoid-mimetics injected into the anterior hypothalamic/preoptic region of the cat, 281
Goodman, S.R., see Zagon, I.S., 80
Govoni, S., see Lucchi, L., 347

Hansen, A.J., see Nedergaard, M., 395
Hara, K., see Fukuda, H., 399
Harvey, J.A., Winsky, L., Schindler, C.W., McMaster, S.E. and Welsh, J.P., Asymmetric uptake of 2-deoxy-D-[^{14}C]glucose in the dorsal cochlear nucleus during Pavlovian conditioning in the rabbit, 213
Hoeffding, V. and Feldman, M.L., Degeneration in the cochlear nerve of the rat following cochlear lesions, 104
Hoffman, P.N., see Koo, E.H., 361

Inoue, K., see Inoue, Y., 271
Inoue, Y., Takahashi, S., Takayama, C., Inoue, K., Okano, H. and Mikoshiba, K., Central myelin in the first hybrid mice produced by intercrossing homozygotes of shiverer and myelin-deficient mutants, 271
Izumi, H. and Karita, K., Investigation of mechanisms of the flare and wheal reactions in human skin by band method, 328

Jodkowski, J.S., see Dick, T.E., 201

Kameyama, M., see Fukuda, H., 399
Karita, K., see Izumi, H., 328
Kasper, J., see Yates, B.J., 377
Kerr, S., see Csernansky, J.G., 357
Kimura, H., see Fukuda, H., 399
Koo, E.H., Hoffman, P.N. and Price, D.L., Levels of neurotransmitter and cytoskeletal protein mRNAs during nerve

regeneration in sympathetic ganglia, 361
Kosik, K.S., see Sims, K.B., 192
Krieger, A.J., see Sundaram, K., 141
Krigman, M.R., see Theoret, Y., 341
Kruk, M.R., see Lammers, J.H.C.M., 294
Kruk, M.R., see Lammers, J.H.C.M., 311

Ladinsky, H., see Consolo, S., 97
Lammers, J.H.C.M., Kruk, M.R., Meelis, W. and Van der Poel, A.M., Hypothalamic substrates for brain stimulation-induced patterns of locomotion and escape jumps in the rat, 294
Lammers, J.H.C.M., Kruk, M.R., Meelis, W. and Van der Poel, A.M., Hypothalamic substrates for brain stimulation-induced attack, teeth-chattering and social grooming in the rat, 311
Lamour, Y. and Dykes, R.W., Somatosensory neurons in partially deafferented rat hindlimb granular cortex subsequent to transection of the sciatic nerve: effects of glutamate and acetylcholine, 18
Lamour, Y., see Dykes, R.W., 1
LaRocca, C.D. and Wiley, R.G., Monoclonal anti-Thy 1 antibody (OX7) is axonally transported in rat nervous system, 381
Lecci, A., see Maggi, C.A., 61
Leranth, C., MacLusky, N.J., Shanabrough, M. and Naftolin, F., Immunohistochemical evidence for synaptic connections between pro-opiomelanocortin-immunoreactive axons and LH-RH neurons in the preoptic area of the rat, 167
Lewis, D.A, Foote, S.L., Goldstein, M. and Morrison, J.H., The dopaminergic innervation of monkey prefrontal cortex: a tyrosine hydroxylase immunohistochemical study, 225
Lucchi, L., Moresco, R.M., Govoni, S. and Trabucchi, M., Effect of chronic ethanol treatment on dopamine receptor subtypes in rat striatum, 347

MacLusky, N.J., see Leranth, C., 167
Maggi, C.A., Santicioli, P., Borsini, F., Giuliani, S., Conte, B., Lecci, A. and Meli, A., The effect of 4-aminopyridine on micturition reflex in normal or capsaicin-desensitized rats, 61
Marescau, B., see De Deyn, P.P., 54
McDonald, R.L., see De Deyn, P.P., 54
McLaughlin, P.J., see Zagon, I.S., 80
McMaster, S.E., see Harvey, J.A., 213
Meelis, W., see Lammers, J.H.C.M., 294
Meelis, W., see Lammers, J.H.C.M., 311
Meli, A., see Maggi, C.A., 61
Meneguz, A., see Bisso, G.M., 391
Michalek, H., see Bisso, G.M., 391
Mikoshiba, K., see Inoue, Y., 271
Miyamoto, T., Okada, Y. and Sato, T., Membrane properties of isolated frog taste cells: three types of responsivity to electrical stimulation, 369
Mola, L., see Benedetti, I., 373
Moresco, R.M., see Lucchi, L., 347
Morrison, J.H., see Lewis, D.A., 225

Naftolin, F., see Leranth, C., 167
Nakamura, S., see Fukuda, H., 399
Nedergaard, M. and Hansen, A.J., Spreading depression is not associated with neuronal injury in the normal brain, 395
Nukada, H., Post-traumatic endoneurial neovascularization and nerve regeneration: a morphometric study, 89

Oda, K. and Shibasaki, H., Antigenic difference of acetylcholine receptor between single and multiple form endplates of human extraocular muscle, 337
Okada, Y., see Miyamoto, T., 369
Okano, H., see Inoue, Y., 271

Palazzi, E., see Consolo, S., 97
Patel, S.N. and Stewart, M.G., Changes in the number and structure of dendritic spines 25 hours after passive avoidance training in the domestic chick, *Gallus domesticus*, 34
Price, D.L., see Koo, E.H., 361
Prosser, E.S., see Csernansky, J.G., 357
Pruthi, R., see Csernansky, J.G., 357

Rudy, T.A., see Gollman, H.M., 281

Santicioli, P., see Maggi, C.A., 61
Sapru, H., see Sundaram, K., 141
Sato, T., see Miyamoto, T., 369
Schindler, C.W., see Harvey, J.A., 213
Sebille, A., see Bondoux-Jahan, M., 150
Seeley, P.J. and Field, P.M., Use of colloidal gold complexes of wheat germ agglutinin as a label for neural cells, 177
Senba, E. and Tohyama, M., Calcitonin gene-related peptide containing autonomic efferent pathways to the pelvic ganglia of the rat, 386
Shanabrough, M., see Leranth, C., 167
Sharif, N.A., Chronic prolactin, gonadal and thyroid hormone treatments in vivo alter levels of TRH and muscarinic receptors in male and female rat tissues, 364
Shibasaki, H., see Oda, K., 337
Sims, K.B., Crandall, J.E., Kosik, K.S. and Williams, R.S., Microtubule-associated protein 2 (MAP 2) immunoreactivity in human fetal neocortex, 192
Stewart, M.G., see Patel, S.N., 34
Stone, S., see Witkovsky, P., 332
Stone, W.S. and Gold, P.E., Amygdala kindling effects on sleep and memory in rats, 135
Sundaram, K., Krieger A.J. and Sapru, H., M_2 muscarinic receptors mediate pressor responses to cholinergic agonists in the ventrolateral medullary pressor area, 141

Takahashi, S., see Inoue, Y., 271
Takayama, C., see Inoue, Y., 271
Theoret, Y., Earnhardt, T.S., Bouldin, T.W. and Krigman, M.R., The neurotoxicity of intrahippocampal kainic acid injection in rats is not accompanied by a reduction of Timm stain, 341
Tohyama, M., see Senba, E., 386
Trabucchi, M., see Lucchi, L., 347
Tuček, S., see Doležal, V., 244

Van der Poel, A.M., see Lammers, J.H.C.M., 294
Van der Poel, A.M., see Lammers, J.H.C.M., 311
Viana, F., see Dick, T.E., 201

Walberg, F. and Dietrichs, E., The interconnection between the vestibular nuclei and the nodulus: a study of reciprocity, 47
Welsh, J.P., see Harvey, J.A., 213
Wiley, R.G., see LaRocca, C.D., 381
Williams, C.L. and Blaustein, J.D., Steroids induce hypothalamic progestin receptors and facilitate female sexual behavior in neonatal rats, 403

Williams, R.S., see Sims, K.B., 192
Wilson, V.J., see Yates, B.J., 377
Winsky, L., see Harvey, J.A., 213
Wirsig-Wiechmann, C.R. and Basinger, S.F., FMRFamide-immunoreactive retinopetal fibers in the frog, *Rana pipiens*: demonstration by lesion and immunocytochemical techniques, 116
Witkovsky, P., Stone, S. and Besharse, J.C., Dopamine modifies the balance of rod and cone inputs to horizontal cells of the *Xenopus* retina, 332
Yates, B.J., Kasper, J., Brink, E.E. and Wilson, V.J., Peripheral input to L4 neurons whose activity is modulated by neck rotation, 377
Zagon, I.S., Goodman, S.R. and McLaughlin, P.J., Characterization of opioid binding sites in murine neuroblastoma, 80

BRAIN RESEARCH

VOL. 449 NO. 1/2 CONTENTS 24 MAY 1988

Research Reports

An electrophysiological laminar analysis of single somatosensory neurons in partially deafferented rat hindlimb granular cortex subsequent to transection of the sciatic nerve (BRE 13518)
R.W. Dykes and Y. Lamour (France) 1

Somatosensory neurons in partially deafferented rat hindlimb granular cortex subsequent to transection of the sciatic nerve: effects of glutamate and acetylcholine (BRE 13519)
Y. Lamour and R.W. Dykes (France) 18

Changes in the number and structure of dendritic spines 25 hours after passive avoidance training in the domestic chick, *Gallus domesticus* (BRE 13521)
S.N. Patel and M.G. Stewart (U.K.) 34

The interconnection between the vestibular nuclei and the nodulus: a study of reciprocity (BRE 13522)
F. Walberg and E. Dietrichs (Norway) 47

Effects of α-keto-δ-guanidinovaleric acid on inhibitory amino acid responses on mouse neurons in cell culture (BRE 13523)
P.P. De Deyn, B. Marescau and R.L. McDonald (U.S.A., Belgium) 54

The effect of 4-aminopyridine on micturition reflex in normal or capsaicin-desensitized rats (BRE 13524)
C.A. Maggi, P. Santicioli, F. Borsini, S. Giuliani, B. Conte, A. Lecci and A. Meli (Italy) 61

Effect of ethanol on γ-vinyl GABA-induced GABA accumulation in the substantia nigra and on synaptosomal GABA content in six rat brain regions (BRE 13525)
G.D. Frye and A.S. Fincher (U.S.A.) 71

Characterization of opioid binding sites in murine neuroblastoma (BRE 13526)
I.S. Zagon, S.R. Goodman and P.J. McLaughlin (U.S.A.) 80

Post-traumatic endoneurial neovascularization and nerve regeneration: a morphometric study (BRE 13527)
H. Nukada (New Zealand) 89

Enhancement of opioid cataleptic response by cortical frontal deafferentation or intrastriatal injection of NMDA-receptor antagonists (BRE 13528)
S. Consolo, G.L. Forloni, H. Ladinsky and E. Palazzi (Italy) 97

Degeneration in the cochlear nerve of the rat following cochlear lesions (BRE 13529)
V. Hoeffding and M.L. Feldman (U.S.A.) 104

FMRFamide-immunoreactive retinopetal fibers in the frog, *Rana pipiens:* demonstration by lesion and immunocytochemical techniques (BRE 13531)
C.R. Wirsig-Wiechmann and S.F. Basinger (U.S.A.) 116

Amygdala kindling effects on sleep and memory in rats (BRE 13530)
W.S. Stone and P.E. Gold (U.S.A.) 135

M_2 muscarinic receptors mediate pressor responses to cholinergic agonists in the ventrolateral medullary pressor area (BRE 13532)
K. Sundaram, A.J. Krieger and H. Sapru (U.S.A.) 141

Electrophysiological study of conditioning lesion effects on rat sciatic nerve regeneration following either prior section or freeze. II. Blocking by prior tenotomy (BRE 13537)
M. Bondoux-Jahan and A. Sebille (France) 150

Discharges of bulbar respiratory neurons during rhythmic straining evoked by activation of pelvic afferent fibers in dogs (BRE 13533)
H. Fukuda and K. Fukai (Japan) 157

Immunohistochemical evidence for synaptic connections between pro-opiomelanocortin-immunoreactive axons and LH-RH neurons in the preoptic area of the rat (BRE 13534)
C. Leranth, N.J. MacLusky, M. Shanabrough and F. Naftolin (U.S.A.) 167

Use of colloidal gold complexes of wheat germ agglutinin as a label for neural cells (BRE 13535)
P.J. Seeley and P.M. Field (U.K.) 177

Microtubule-associated protein 2 (MAP 2) immunoreactivity in human fetal neocortex (BRE 13540)
K.B. Sims, J.E. Crandall, K.S. Kosik and R.S. Williams (U.S.A.) 192

Projections and terminations of single respiratory axons in the cervical spinal cord of cat (BRE 13536)
T.E. Dick, J.S. Jodkowski, F. Viana and A.J. Berger (U.S.A.) 201

(contents continued on pp. 411–412)

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — PASCAL M

(contents continued from backcover)

Asymmetric uptake of 2-deoxy-D-[^{14}C]glucose in the dorsal cochlear nucleus during Pavlovian conditoning in the rabbit (BRE 13538)
J.A. Harvey, L. Winsky, C.W. Schindler, S.E. McMaster and J.P. Welsh (U.S.A.) 213
The dopaminergic innervation of monkey prefrontal cortex: a tyrosine hydroxylase immunohistochemical study (BRE 13539)
D.A. Lewis, S.L. Foote, M. Goldstein and J.H. Morrison (U.S.A.) 225
Acetylcholine and choline in rat adrenals and brain cortex prisms incubated at elevated concentrations of choline in the medium (BRE 13542)
V. Doležal and S. Tuček (Czechoslovakia) 244
Connections of the paraflocculus of the cerebellum with the superior colliculus in the rat brain (BRE 13541)
N.S. Gayer and R.L.M. Faull (Australia, New Zealand) 253
Central myelin in the first hybrid mice produced by intercrossing homozygotes of shiverer and myelin-deficient mutants (BRE 13544)
Y. Inoue, S. Takahashi, C. Takayama, K. Inoue, H. Okano and K. Mikoshiba (Japan) 271
Comparative pyrogenic potency of endogenous prostanoids and of prostanoid-mimetics injected into the anterior hypothalamic/preoptic region of the cat (BRE 13543)
H.M. Gollman and T.A. Rudy (U.S.A.) 281
Hypothalamic substrates for brain stimulation-induced patterns of locomotion and escape jumps in the rat (BRE 13545)
J.H.C.M. Lammers, M.R. Kruk, W. Meelis and A.M. van der Poel (The Netherlands) 294
Hypothalamic substrates for brain stimulation-induced attack, teeth-chattering and social grooming in the rat (BRE 13546)
J.H.C.M. Lammers, M.R. Kruk, W. Meelis and A.M. van der Poel (The Netherlands) 311

Short Communications

Investigation of mechanisms of the flare and wheal reactions in human skin by band method (BRE 22883)
H. Izumi and K. Karita (Japan) 328
Dopamine modifies the balance of rod and cone inputs to horizontal cells of the *Xenopus* retina (BRE 22903)
P. Witkovsky, S. Stone and J.C. Besharse (U.S.A.) 332
Antigenic difference of acetylcholine receptor between single and multiple form endplates of human extraocular muscle (BRE 22898)
K. Oda and H. Shibasaki (Japan) 337
The neurotoxicity of intrahippocampal kainic acid injection in rats is not accompanied by a reduction of Timm stain (BRE 22904)
Y. Theoret, T.S. Earnhardt, T.W. Bouldin and M.R. Krigman (U.S.A.) 341
Effect of chronic ethanol treatment on dopamine receptor subtypes in rat striatum (BRE 22905)
L. Lucchi, R.M. Moresco, S. Govoni and M. Trabucchi (Italy) 347
Naloxone blocks the induction of long-term potentiation in the lateral but not in the medial perforant pathway in the anesthetized rat (BRE 22907)
C.R. Bramham, M.L. Errington and T.V.P. Bliss (Norway, U.K.) 352
Mesolimbic dopamine receptor increases two weeks following hippocampal kindling (BRE 22906)
J.G. Csernansky, S. Kerr, R. Pruthi and E.S. Prosser (U.S.A.) 357
Levels of neurotransmitter and cytoskeletal protein mRNAs during nerve regeneration in sympathetic ganglia (BRE 22908)
E.H. Koo, P.N. Hoffman and D.L. Price (U.S.A.) 361
Chronic prolactin, gonadal and thyroid hormone treatments in vivo alter levels of TRH and muscarinic receptors in male and female rat tissues (BRE 22911)
N.A. Sharif (U.S.A.) 364
Membrane properties of isolated frog taste cells: three types of responsivity to electrical stimulation (BRE 22909)
T. Miyamoto, Y. Okada and T. Sato (Japan) 369
Survey of neuropeptide-like immunoreactivity in supramedullary neurons of *Coris julis* (L.) (BRE 22910)
I. Benedetti and L. Mola (Italy) 373
Peripheral input to L4 neurons whose activity is modulated by neck rotation (BRE 22912)
B.J. Yates, J. Kasper, E.E. Brink and V.J. Wilson (U.S.A.) 377
Monoclonal anti-Thy 1 antibody (OX7) is axonally transported in rat nervous system (BRE 22914)
C.D. LaRocca and R.G. Wiley (U.S.A.) 381
Calcitonin gene-related peptide containing autonomic efferent pathways to the pelvic ganglia of the rat (BRE 22919)
E. Senba and M. Tohyama (Japan) 386

(continued overleaf)

Change in the distribution of acetylcholinesterase molecular forms in frontoparietal cortex of the rat following nucleus basalis lesions with kainic acid (BRE 22915)
G.M. Bisso, G. Diana, S. Fortuna, A. Meneguz and H. Michalek (Italy) 391
Spreading depression is not associated with neuronal injury in the normal brain (BRE 22916)
M. Nedergaard and A.J. Hansen (Denmark) 395
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) enhances tryptophan hydroxylase activity in mouse striatum, but not in the frontal cortex (BRE 22918)
H. Fukuda, K. Hara, S. Nakamura, H. Kimura and M. Kameyama (Japan) 399
Steroids induce hypothalamic progestin receptors and facilitate female sexual behavior in neonatal rats (BRE 22920)
C.L. Williams and J.D. Blaustein (U.S.A.) 403

Author Index 408